

TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

Certification

**Issued Under the Authority of the
Federal Communications Commission**

By:

**TUV SUD BABT
Octagon House, Concorde Way,
Segensworth North,
Fareham, PO15 5RL
United Kingdom**

Date of Grant: 01/06/2017

Application Dated: 01/04/2017

Nextivity Incorporated

**16550 West Bernardo Drive, Bldg 5, Suite 550
San Diego, CA 92127**

Attention: Michiel Lotter , Vice President, Engineering

NOT TRANSFERABLE


EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE,
and is VALID ONLY for the equipment identified hereon for use under the
Commission's Rules and Regulations listed below.

FCC IDENTIFIER: YETQ34-251366CU
Name of Grantee: Nextivity Incorporated
Equipment Class: Digital Transmission System
Notes: Provider-Specific Consumer Signal
Booster

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.00853		

Output power is conducted. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons. Users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections.



TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

Certification

**Issued Under the Authority of the
Federal Communications Commission**

By:

**TUV SUD BABT
Octagon House, Concorde Way,
Segensworth North,
Fareham, PO15 5RL
United Kingdom**

Date of Grant: 01/06/2017

Application Dated: 01/04/2017

Nextivity Incorporated

**16550 West Bernardo Drive, Bldg 5, Suite 550
San Diego, CA 92127**

Attention: Michiel Lotter , Vice President, Engineering


NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE,
and is VALID ONLY for the equipment identified hereon for use under the
Commission's Rules and Regulations listed below.

FCC IDENTIFIER: YETQ34-251366CU
Name of Grantee: Nextivity Incorporated
Equipment Class: Part 15 Class B Computing Device
Peripheral
Notes: Provider-Specific Consumer Signal
Booster

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15B	-			

CC: This device is certified pursuant to two different Part 15 rules sections.



TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

Certification

**Issued Under the Authority of the
Federal Communications Commission**

By:

**TUV SUD BABT
Octagon House, Concorde Way,
Segensworth North,
Fareham, PO15 5RL
United Kingdom**

Date of Grant: 01/06/2017

Application Dated: 01/04/2017

Nextivity Incorporated

16550 West Bernardo Drive, Bldg 5, Suite 550

San Diego, CA 92127

Attention: Michiel Lotter , Vice President, Engineering

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: YETQ34-251366CU
Name of Grantee: Nextivity Incorporated
Equipment Class: Part 20 Provider-Specific Consumer
Booster (CMRS)
Notes: Provider-Specific Consumer Signal
Booster

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	24E	1930.0 - 1990.0	0.058	Amp	F9W
	22H	869.0 - 894.0	0.037	Amp	F9W
	27	746.0 - 756.0	0.027	Amp	F9W
	27	2110.0 - 2155.0	0.724	Amp	F9W

Power listed is EIRP for f>1GHz, and ERP for f<1GHz. This device supports the following BWs: WCDMA Band 2 and LTE Band 4 (5/10/15/20 MHz), WCDMA Band 5 (5/10/15 MHz), LTE Band 13 (5/10 MHz). This device is part of a booster system operated with FCC ID: YETQ34-251366NU. This booster system device shall be operated with frequency selection by network identification and interference avoidance for wireless subsystems as described in this filing for compliance with 20.21(e)(9) and 20.21(e)(7). The antennas used with this signal booster must be installed to provide a separation distance of at least 20 cm from all persons. Users and installers must be provided with the antenna kitting and installation instructions and operating conditions for satisfying RF exposure and Section 20.21(a) compliance. This Consumer Signal Booster is authorized only for operation by and marketing to members of the general public for their personal use in accordance with the requirements of 47 CFR 20.21(a) and 20.21(g).

